


Flooring Accessories

Sit-On Skirting

Sit-on Skirting provides an impervious seal when welded to the floorcovering. Flexible PVC Sit-On Skirting is ideal for use in areas such as hospital corridors, schools etc.



RP 001

Availability :

Sit-On Skirtings are available in a standard height of 100 mm with thickness of 2 mm.

Standard Colours :

Black, Brown, Blue Bell, , Blue, Beige, Cream, Dove, Grey, Green, Off White, White, Almond, Purple, Yellow.


Standard Packing : 15 Meters in roll form

Installation :

Sit-on Skirtings are bonded to the substrate with a suitable contact adhesive. Sit-on skirtings should be adhered to the wall only.

Note :

Other colours can be produced to match customers specific colour requirement



RP 002

Availability :

Sit-On Skirtings are available in standard height of 65 mm with thickness of 2 mm

Standard Colours :

Black, Brown, Blue Bell, Blue, Beige, Cream, Dove, Grey, Green, Off White, White, Almond, Purple, Yellow.

Standard Packing : 15 Meters in roll form

Installation :


Sit-On Skirtings are bonded to the substrate with a suitable contact adhesive. Sit-On skirtings should be adhered to the wall only.

Note :

Other colours can be produced to match customers specific colour requirement.

Stair Edging / Stair Nozing

A one piece anti-slip PVC Stair Edging / Stair Nozing is recommended for use on escape stairs and in other light traffic areas. It is typically used with resilient floorings.



RP 003

Availability :

Stair Edging or Stair Nozing is available in a standard length of 1.5 meter with 3 mm thickness

Standard Colours :

Black, Blue Bell, Brown, Grey

Standard Packing :


Supplied in 1.5 meter length

Installation :

Flexible Stair Edgings, cut to size on site are installed using suitable contact adhesive only

Note :

Other colours can be produced to match customers specific colour requirement



RP 004

Availability :

Stair Edging or Stair Nozing is available in a standard length of 1.5 meter with 3 mm thickness

Standard Colours :

Black, Blue Bell, Brown, Grey

Standard Packing :

Supplied in 1.5 meter length

Installation :

Flexible Stair Edgings, cut to size on site are installed using suitable contact adhesive only


Note :

Other colours can be produced to match customers specific colour requirement

Flooring Accessories

Capping Strip

Flexible Capping Strips or Capping Seals are used to protect the exposed edge of the vinyl. Capping Strips provide a decorative, neat edge when resilient floorcoverings are dressed up the wall to form a skirting. Capping Strips are normally used in conjunction with a cove former.



RP 005

Availability :

Sit-On Skirtings are available in standard height of 100 mm with thickness of 2 mm

Standard Colours :

Black, Brown, Blue Bell, , Blue, Beige, Cream, Dove, Grey, Green, Off White, White, Almond, Purple, Yellow.

Standard Packing : 15 Meters in roll form

Installation :


Sit-on Skirtings are bonded to the substrate with a suitable contact adhesive. Sit-on skirtings should be adhered to the wall only.

Note :

Other colours can be produced to match customers specific colour requirement

Full Cove & Capping Skirting

Full Cove and Capping Skirtings provide single solution to floor-covering by replacing individual use of Capping Strip, Skirting and Cove Former. Full Cove and Capping Skirtings are ideal for critical clean areas where a homogenous finish is required e.g. hospital treatment areas.



RP 010

Availability :

Set-in Skirtings are available in 140 mm height with 2 mm thickness to suit vinyl, linoleum and anti-static floorcoverings.

Standard Colours :

Black, Brown, Blue Bell, , Blue, Beige, Cream, Dove, Grey, Green, Off White, White, Almond, Purple, Yellow.

Standard Packing : 25 Meters in roll form

Installation :


Set-in Skirtings are bonded to the substrate with a suitable contact adhesive and should be adhered to the wall and the floor prior to welding to the floorcovering

Note :

Other thicknesses and colours can be produced to match customers specific requirement

Set-In Skirting

Flexible PVC Set-in Skirting provides an impervious seal when welded to the floorcovering. Set-in Skirtings are Ideal for critical clean areas where a homogenous finish is required e.g. hospital treatment areas.



RP 006

Availability :

Set-in Skirtings are available in 140 mm height with 2 mm thickness to suit vinyl, linoleum and anti-static floorcoverings.

Standard Colours :

Black, Brown, Blue Bell, , Blue, Beige, Cream, Dove, Grey, Green, Off White, White, Almond, Purple, Yellow



Standard Packing : 25 Meters in roll form

Installation :

Set-in Skirtings are bonded to the substrate with a suitable contact adhesive and should be adhered to the wall and the floor prior to welding to the floorcovering

Note :

Other thicknesses and colours can be produced to match customers specific requirement



RP 007

Availability :

Set-in Skirtings are available in 140 mm height with 3 mm thickness to suit vinyl, linoleum and anti-static floorcoverings.

Standard Colours :

Black, Brown, Blue Bell, , Blue, Beige, Cream, Dove, Grey, Green, Off White, White, Almond, Purple, Yellow


Standard Packing : 25 Meters in roll form

Installation :

Set-in Skirtings are bonded to the substrate with a suitable contact adhesive and should be adhered to the wall and the floor prior to welding to the floorcovering

Note :


Other thicknesses and colours can be produced to match customers specific requirement



Flooring Accessories

Cove Former

Cove formers are used to form a cove where floorcoverings are continued up the wall and provide a neat coved finish to assist floorcoverings to achieve a vertical finish. Cove formers are normally used in conjunction with Capping Strips to finish the raw edge of the floorcovering.



RP 008

Availability :

Cove Formers are available in 25mm & 30 mm width to suit various applications.

Standard Packing : Supplied in 50 Meters roll form

Installation :


Flexible Cove Formers are installed with contact adhesive

Note :

Other colours can be produced to match customers specific colour requirement

Tile Cap

Tile Caps are used where ceramic wall tiles are finished against a resilient floor finish that has been dressed up the wall to form a skirting.



RP 009

Standard Colours :

Black, Brown, Blue Bell, , Blue, Beige, Cream, Dove, Grey, Green, Off White, White, Almond, Purple, Yellow.

Standard Packing :

Supplied in 20 Meters roll form

Installation :

Tile Caps are installed using suitable contact adhesive

Note :

Other colours can be produced to match customers specific color requirement

